

SAFETY DATA SHEET MASODINE 1:3 2.15% w/v CONCENTRATE FOR TEAT DIP AND SPRAY SOLUTION

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	MASODINE 1:3 2.15% w/v CONCENTRATE FOR TEAT DIP AND SPRAY SOLUTION	
Product number	R071 EV	
Internal identification	Livestock	
1.2. Relevant identified uses o	f the substance or mixture and uses advised against	
Identified uses	Concentrated lodine based Teat Dip	
1.3. Details of the supplier of t	he safety data sheet	
Supplier		
	Evans Vanodine International	
	Brierley Road	
	Walton Summit	
	Preston. UK. PR5 8AH	
	Tel: 01772 322 200	
	Fax: 01772 626 000	
	qclab@evansvanodine.co.uk	
1.4. Emergency telephone nur	nber	
Emergency telephone	New Safety Data Sheets - 8.30am to 4.45pm - 01772 322 200 - Mon to Fri. (Also available	
	24/7 from our website www.evansvanodine.co.uk) Technical Advice - 8.30am to 4.45pm -	
	24/7 from our website www.evansvanodine.co.uk) Technical Advice - 8.30am to 4.45pm - 01772 318 818 - Mon to Fri	
SECTION 2: Hazards identific	01772 318 818 - Mon to Fri	
SECTION 2: Hazards identific 2.1. Classification of the subst	01772 318 818 - Mon to Fri ation	
	01772 318 818 - Mon to Fri ation ance or mixture	
2.1. Classification of the subst	01772 318 818 - Mon to Fri ation ance or mixture	
2.1. Classification of the subst Classification (EC 1272/2008)	01772 318 818 - Mon to Fri ation ance or mixture	
2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards	01772 318 818 - Mon to Fri ation ance or mixture Not Classified	
2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards	01772 318 818 - Mon to Fri ation ance or mixture Not Classified Eye Dam. 1 - H318	
2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards	01772 318 818 - Mon to Fri ation ance or mixture Not Classified Eye Dam. 1 - H318	
2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements	01772 318 818 - Mon to Fri ation ance or mixture Not Classified Eye Dam. 1 - H318	
2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements	01772 318 818 - Mon to Fri ation ance or mixture Not Classified Eye Dam. 1 - H318	
2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements	01772 318 818 - Mon to Fri ation ance or mixture Not Classified Eye Dam. 1 - H318	
2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements Pictogram	01772 318 818 - Mon to Fri ation ance or mixture Not Classified Eye Dam. 1 - H318 Not Classified	
2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements Pictogram V	01772 318 818 - Mon to Fri ation ance or mixture Not Classified Eye Dam. 1 - H318 Not Classified	

 Veterinary Medicinal Product quotes "Risk of serious damage to eyes." on product label and no signal word or pictogram. P102 Keep out of reach of children. P280 Wear eye protection. P301 IF SWALLOWED: P313 Get medical advice/ attention. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.

15-20%

1-3%

Contains

C13-15 ALCOHOL ETHOXYLATE (11EO)

EC number: 231-442-4

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C13-15 ALCOHOL ETHOXYLATE (11EO)

CAS number: 157627-86-6

Alternative CAS No 24938-91-8

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

IODINE

CAS number: 7553-56-2

M factor (Acute) = 1

Classification

Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 Aquatic Acute 1 - H400

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention.
Skin contact	Wash with plenty of water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known.	
Ingestion	No specific symptoms known. But - May cause discomfort if swallowed.	
Skin contact	No specific symptoms known.	
Eye contact	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting measurements	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.	
5.2. Special hazards arising fr	om the substance or mixture	
Specific hazards	Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.	
5.3. Advice for firefighters		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	se measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear eye and face protection. For personal protection, see Section 8.	
6.2. Environmental precaution	<u>s</u>	
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.	
6.4. Reference to other section	ns	
Reference to other sections	For personal protection, see Section 8.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	For handling undiluted product: Wear eye protection.	
7.2. Conditions for safe storag	e, including any incompatibilities	
Storage precautions	Keep only in the original container in a cool, well-ventilated place. Protect from light. Store away from the following materials: Oxidising materials.	
7.3. Specific end use(s) Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	

Usage description See Product Information Sheet & Label for detailed use of this product.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

IODINE

Short-term exposure limit (15-minute): WEL 0.1 ppm 1.1 mg/m³ WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment



SECTION 9: Physical and C	Chemical Properties
Respiratory protection	Respiratory protection not required.
Other skin and body protection	None required.
Hand protection	No specific hand protection recommended.
Eye/face protection	Wear eye protection.
Appropriate engineering controls	Not relevant.

9.1. Information on basic physical and chemical properties

Appearance	Liquid.	
Colour	Clear. Dark brown.	
Odour	Faint Iodine	
рН	pH (concentrated solution): 4.00	
Melting point	-2°C	
Initial boiling point and range	101°C @ 760 mm Hg	
Flash point	Boils without flashing.	
Relative density	1.100 @ 20°C	
Solubility(ies)	Soluble in water.	
9.2. Other information		
Other information	None.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	The following materials may react with the product: Oxidising materials.	
10.2. Chemical stability		

Stability

No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	See sections 10.1,10.4 & 10.5
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
10.5. Incompatible materials	
Materials to avoid	Oxidising agents as lodine vapour may be evolved.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	When heated, vapours/gases hazardous to health may be formed.
SECTION 11: Toxicological in	formation
11.1. Information on toxicologi	ical effects
Toxicological effects	We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.
Other health effects	Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	3,028.51905249
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	73,561.9656763
Acute toxicity - inhalation	Read on available data the classification exiteria are not mot
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	
SECTION 12: Ecological Infor	mation
Ecotoxicity	Not regarded as dangerous for the environment.
12.1. Toxicity	
Toxicity	We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.
12.2. Persistence and degrada	ability
Persistence and degradability	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
12.4. Mobility in soil	
Mobility	Not known.
12.5. Results of PBT and vPvl	3 assessment

Results of PBT and vPvB	This product does not contain any substances classified as PBT or vPvB.
assessment	

12.6. Other adverse effects

Other adverse effects Not known.

SECTION 13:	Disposal	considerations
-------------	----------	----------------

13.1. Waste treatment methods

Disposal methods

Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

SECTION 14: Transport information

General

Not classified for Transport.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

National regulations	Medicines Act 1968.
	This is a Medicinal product, therefore the CLP/GHS Regulations do not apply.
EU legislation	Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No
	2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006).
	Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008
	classification, labelling & packaging of substances & mixtures.
	The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification,
	labelling & packaging of substances & mixtures.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

Abbreviations and acronyms	PBT: Persistent, Bioaccumulative and Toxic substance.
used in the safety data sheet	vPvB: Very Persistent and Very Bioaccumulative.
	ATE: Acute Toxicity Estimate.
REACH: Registration, Evaluation, Authorisation and Restriction of	REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation
	(EC) No 1907/2006.
	GHS: Globally Harmonized System.

Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Skin Irrit. = Skin irritation STOT SE = Specific target organ toxicity-single exposure
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labeling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures according to Regulation (EC) 1272/2008	Calculation Method.
Revision comments	Safety Data Sheet amended in accordance with REACH Commission Regulation (EU) No 2015/830 amendment. (Changes to Sections 2,3,15&16)
Revision date	17/11/2017
Revision	7
SDS status	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
Hazard statements in full	 H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.