

## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: GOJO® ANTIMICROBIAL PLUS FOAM HANDWASH (FDS N°1830)

Product code: B1775.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Disinfectant product

## 1.3. Details of the supplier of the safety data sheet

Registered company name: GOJO Luxembourg S.à r.l..

Address: 1 rue jean piret.L-2350 .Luxembourg.LUXEMBOURG. Telephone: +33 (0)1 60 95 49 00. Fax: +33 (0)1 60 95 49 49.

frregulatoryteam@gojo.fr

## 1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

## Other emergency numbers

Ireland, Éire : Ireland National Poisons Information Centre: +353 1 8092166 Ísland : Iceland Poison Information Centre: +354 525 111, +354 543 2222

Malta: Medicines & Poisons Info Office2545 6508

United Kingdom: NHS 111

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

### 2.2. Label elements

Biocidal mixture (see section 15).

## In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS07

Signal Word:

WARNING

Hazard statements:

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements - Prevention:

P273 Avoid release to the environment.

Precautionary statements - Response :

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

# 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.2. Mixtures

**Composition:** 

Identification	(EC) 1272/2008	Note	%
CAS: 57-55-6		[1]	10 <= x % < 25
EC: 200-338-0			
REACH: 01-2119456809-23			
PROPYLENE GLYCOL			
CAS: 18472-51-0	GHS05, GHS09		$0 \le x \% < 2.5$
EC: 242-354-0	Dgr		
REACH: 01-2119946568-22	Eye Dam. 1, H318		
	Aquatic Acute 1, H400		
CHLORHEXIDINE DIGLUCONATE	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 56-81-5		[1]	$0 \le x \% < 2.5$
EC: 200-289-5			
REACH: 01-2119471987-18			
GLYCERINE			
CAS: 1643-20-5	GHS07, GHS05, GHS09		$0 \le x \% < 2.5$
EC: 216-700-6	Dgr		
REACH: 10-2120068065-58	Acute Tox. 4, H302		
	Skin Irrit. 2, H315		
LAURAMINE OXIDE	Eye Dam. 1, H318		
	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	M Acute = 1		

(Full text of H-phrases: see section 16)

## **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

## In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

## In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

## 5.1. Extinguishing media

## Suitable methods of extinction

In the event of a fire, use:

- carbon dioxide (CO2)
- powder
- foam
- dry sand

#### Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Remove and wash contaminated clothing before re-using.

#### Fire prevention:

Prevent access by unauthorised personnel.

## Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## **Packaging**

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

No data available.

#### Occupational exposure limits:

- UK / WEL (Workplace exposure limits, EH40/2005, 2011):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
57-55-6	150 ppm 474 mg/m³	- ppm - mg/m³			
56-81-5	- ppm 10 mg/m <sup>3</sup>	- ppm - mg/m³			

- Ireland (Code of practice for the Chemical Agents Regulations, 2016):

# GOJO® ANTIMICROBIAL PLUS FOAM HANDWASH (FDS N°1830) - B1775

CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria:	]
57-55-6	10 mg/m <sup>3</sup>					1
56-81-5	10 mg/m <sup>3</sup>					1
- Norway (Veilednir	ng om administi	rative normer fo	or forurensning i	arbeidsatmosfa	ere. 2019):	_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	7
57-55-6	25 ppm		1			1
	79 mg/m <sup>3</sup>					
- Latvia (Regulation	-	•	•		•	_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	7
57-55-6	7 mg/m3		1			1
- Lithuania (HN 23						_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	7
57-55-6	7 mg/m <sup>3</sup>	SILL.	Coming .	Demintion :	Criteria :	1
- Croatia	ı mg m			1		_
Identification	TWA	STEL	Ceiling	Notations	7	
57-55-6	10 mg/m <sup>3</sup>	SIEL	Cennig	Inotations	_	
56-81-5	10 mg/m <sup>3</sup>				_	
		L	1		_	
- France (INRS - ED	VME-ppm :	8 / ) :   VME-mg/m3 :	VIE nom :	VLE-mg/m3:	Notes:	TMP No:
56-81-5	v ivite-ppiii:	10	. у се-ррш :	v LE-mg/m3:	Notes:	1 IVIF INO :
	·	1 - 0	- 17 1 1 1 1	-  -	1 1111 2 77	1 2010
- ACGIH TLV (Amo						lues, 2010)
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria :	-
56-81-5	10 mg/m3					_
- Netherlands / MAG				I- ~ · ·	T =	7
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria :	4
56-81-5	10 mg/m3	-	-	-	-	
- Finland (HTP-värd						_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	20 mg/m <sup>3</sup>					
- Belgium (Arrêté du	u 09/03/2014, 2	014):				_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m <sup>3</sup>					
- Poland (Dz. U. z 2	018 r. poz. 917			_		_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m <sup>3</sup>					
- Spain (Instituto Na	acional de Segu	ridad e Higiene	en el Trabajo (I	NSHT), 2017)	:	
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m <sup>3</sup>					
- Czech Republic (R	Regulation No. 3	361/2007):				
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	7
56-81-5	10 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>				1
- Slovakia (Règleme	ent 300/2007, 4	71/2011 23/11/	(2011) :			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	7
56-81-5	10 mg/m <sup>3</sup>					1
	•	900, 08/08/201	9):	1	1	_
				Notes		
	1.1.1.2.1				1	
	ΔPRO 2017) ·	1	1	1 \-/	_	
		VLF	Valeur plafond	Notations	7	
	50 i mg/m <sup>3</sup>		, alcui piaioliu		1	
	Jos i mg/m	100 1 mg/m	1	1220	_	
	Diirnorm	Lubioiolico	Diirnormi loci	Morlanged	7	
Identification	1 1111101111		1 IIIIIOIIIII iagi	IVIAIKUSCU		
	1					
56-81-5	10 mg/m3	Pinnoim			1	
	I I () IIIo/min					
- Germany - AGW ( CAS 56-81-5 - Switzerland (SUV) CAS 56-81-5 - Estonie Identification	BAuA - TRGS VME :  APRO 2017) : VME  50 i mg/m³	900, 08/08/201 VME: 200 mg/m³  VLE 100 i mg/m³  Luhiajalise kokkupuute piirnorm	9):   Excess   Valeur plafond   Piirnormi lagi	SSC		1

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
56-81-5		10 mg/m3			

#### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

## - Body protection

Work clothing worn by personnel shall be laundered regularly.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

#### **General information:**

Physical state : Fluid liquid.
Color: colourless
Odour: characteristic

## Important health, safety and environmental information

pH: 5.75 +/- 0.25.

Neutral.

Flash point interval:

Vapour pressure (50°C):

Not relevant.

Not relevant.

Not relevant.

1.00 - 1.02

Water solubility:

Soluble.

## 9.2. Other information

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

No data available.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

## 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

No data available.

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on toxicological effects

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

## 11.1.1. Substances

No toxicological data available for the substances.

#### 11.1.2. Mixture

No toxicological data available for the mixture.

## **SECTION 12: ECOLOGICAL INFORMATION**

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

### 12.1. Toxicity

#### 12.1.1. Substances

## CHLORHEXIDINE DIGLUCONATE (CAS: 18472-51-0)

Fish toxicity: LC50 = 2.08 mg/l

Crustacean toxicity: EC50 = 0.087 mg/l

Species: Daphnia magna

NOEC = 0.02 mg/l Species : Daphnia magna

Algae toxicity: ECr50 = 0.081 mg/l

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

## 12.2.1. Substances

CHLORHEXIDINE DIGLUCONATE (CAS: 18472-51-0)

Biodegradability: Non-rapidly degradable.

#### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

## 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

## 14.1. UN number

-

## 14.2. UN proper shipping name

14.3. Transport hazard class(es)

•••

#### 14.4. Packing group

-

#### 14.5. Environmental hazards

-

#### 14.6. Special precautions for user

\_

#### **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/669 (ATP 11)

#### - Container information:

No data available.

#### - Particular provisions :

No data available.

# - Labelling for biocidal products (Regulation 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC)

15.00 g/kg

Product-type

01

%

Name CAS CHLORHEXIDINE DIGLUCONATE 18472-51-0

Product-type 1 : Human hygiene.

### 15.2. Chemical safety assessment

No data available.

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## Wording of the phrases mentioned in section 3:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.

## Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.